FORM PTO		AMERCE PATENT AND TRADEMARK OFFICE	ATTORNEY 'S DOCKET NUMBER
(REV. 11-2		R TO THE UNITED STATES	A0000005/2-01-MG
	DESIGNATED/ELECT	ED OFFICE (DO/EO/US)	U.S. APPLICATION NO (If known, see 37 CFR 1 5
	CONCERNING A FILIN	NG UNDER 35 U.S.C. 371	<b>1</b> 0/089958
INTER	NATIONAL APPLICATION NO. PCT/EP00/10084	INTERNATIONAL FILING DATE 9 October 2000	PRIORITY DATE CLAIMED 7 October 1999
	OF INVENTION SYNERGISTIC COMBINATIONS OF AN	NKI RECEPTOR ANTAGONIS AND A GABA ANAL	OG IN PSYCHIATRIC DISORDERS
APPLI	CANT(S) FOR DO/EO/US HUGHES	S, John, SINGH, Lakhbir	
Applica	nt herewith submits to the United St	ates Designated/Elected Office (DO/EO/US)	the following items and other information
1. 🔽	This is a FIRST submission of item	s concerning a filing under 35 U.S.C. 371.	
2. 🔲	This is a SECOND or SUBSEQUE	NT submission of items concerning a filing u	inder 35 U.S.C. 371.
3.	This is an express request to begin n items (5), (6), (9) and (21) indicated	national examination procedures (35 U.S.C. 3 below.	71(f)). The submission must include
4.	The US has been elected by the exp	iration of 19 months from the priority date (A	rticle 31).
5. 🔽	A copy of the International Applicat		15
	The state of the s	d only if not communicated by the Internation	nal Bureau).
		y the International Bureau.	Off (DO/HS)
		lication was filed in the United States Receivi	
6. 🖊		he International Application as filed (35 U.S.	C. 371(c)(2)).
	a. is attached hereto.	itted ander 25 H C C 154(d)(4)	
7 []		itted under 35 U.S.C. 154(d)(4). ternational Aplication under PCT Article 19 (	35 H S C 371(c)(3))
7		red only if not communicated by the Internati	
		by the International Bureau.	J. J
	_	ever, the time limit for making such amendme	ents has NOT expired
	_		ons has two r expired.
	d. have not been made and w		-1. 10 (25 H C C 271 (~)(2))
8.		he amendments to the claims under PCT Arti	cie 19 (35 U.S.C. 371 (c)(3)).
9. 🔽	An oath or declaration of the invent		
10.	An English lanugage translation of the Article 36 (35 U.S.C. 371(c)(5)).	the annexes of the International Preliminary E	Examination Report under PCT
Iten	is 11 to 20 below concern documen	ıt(s) or information included:	
11. 🔲	An Information Disclosure Staten	nent under 37 CFR 1.97 and 1.98.	
12. 🔲	An assignment document for reco	rding. A separate cover sheet in compliance	with 37 CFR 3.28 and 3.31 is included.
13.	A FIRST preliminary amendment		
14.	A SECOND or SUBSEQUENT p	reliminary amendment.	
15.	A substitute specification.		
16.	A change of power of attorney an	d/or address letter.	
17.	A computer-readable form of the	sequence listing in accordance with PCT Rule	e 13ter.2 and 35 U.S.C. 1.821 - 1.825.
18.	A second copy of the published in	ternational application under 35 U.S.C. 154(	d)(4).
19. 🗌	A second copy of the English lang	guage translation of the international applicati	ion under 35 U.S.C. 154(d)(4).
20. 🔽		(PEA/408) pplicant of the Communication of The International anission or Transmittal of Priority Document	Application to the Designated Offices

U.S. APPLICATION NO OF kng	~0387979 5 8 r	ITERNATIONAL APPLICATION NO PCT/EPO	00/10084		ATTORNEY'S DOCK A000000	EET NUMBER 05/2 <b>-</b> 01-MG
	ing fees are submitted:		1	CAI	CULATIONS F	TO USE ONLY
BASIC NATIONAL	FEE (37 CFR 1.492 (a)					
nor international se	al preliminary examination arch fee (37 CFR 1.445) earch Report not prepare	on fee (37 CFR 1.482) a)(2)) paid to USPTO d by the EPO or JPO	***************************************			
USPTO but Interna	ational Search Report pre	37 CFR 1.482) not paid to epared by the EPO or JPO	8860.00			
International prelin but international se	ninary examination fee (3 arch fee (37 CFR 1.445(a	37 CFR 1.482) not paid to a)(2)) paid to USPTO	USPTO \$710.00			
but all claims did n	ot satisfy provisions of P	37 CFR 1.482) paid to US CT Article 33(1)-(4)	\$690.00			
and all claims satis	fied provisions of PCT A	37 CFR 1.482) paid to US rticle 33(1)-(4)	\$100.00	<u> </u>	260.00	
		BASIC FEE AMOU	UNT =	\$	860.00	
Surcharge of \$130.0 months from the ear	0 for furnishing the oath liest claimed priority date	or declaration later than (37 CFR 1.492(e)).	20 30	\$	0.00	
CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE	\$	100.00	1
Total claims	26 - 20 =	6	x \$18.00	\$	108.00	
Independent claims	9 -3 =	L	x \$80.00	\$	480.00	
MULTIPLE DEPEN	DENT CLAIM(S) (if app	OF ABOVE CALCU	+ \$270.00	\$	1,448.00	
Applicant claim are reduced by	s small entity status. See	e 37 CFR 1.27. The fees i		\$	1,	
		SI	UBTOTAL =	\$		-
Processing fee of \$1 months from the ear	30.00 for furnishing the liest claimed priority date	English translation later th		\$		
		TOTAL NATIO	NAL FEE =	\$	1,448.00	
Fee for recording the accompanied by an a	e enclosed assignment (3' appropriate cover sheet (3'	7 CFR 1.21(h)). The assi 37 CFR 3.28, 3.31). <b>\$40.</b> 0	gnment must be 00 per property +	\$		
		TOTAL FEES E	NCLOSED =	\$	1,448.00	
					ount to be refunded:	\$
					charged:	\$
b. Please char A duplicate	ge my Deposit Account le copy of this sheet is encissioner is hereby authority		the amount of \$ _1,2	448.0 e requ	ired, or credit an	
		rd. WARNING: Informa d on this form. Provide o				
	ust be filed and granted ONDENCE TO h Company : ad	under 37 CFR 1.494 or 1 to restore the application $\frac{A}{2} \frac{2}{3} \frac{1}{3} \frac$		RE	hdi Ganjeizad	
Telephone: (734) 6 Facsimile: (734) 6	522-3831		REGISTRA	ATION	47,585 NUMBER	<del></del>

WO 01/24791

-1-

# USE OF SYNERGISTIC COMBINATIONS OF A NK $_1$ RECEPTOR ANTAGONIST AND A GABA ANALOG IN PSYCHIATRIC DISORDERS

5

#### FIELD OF THE INVENTION

This invention relates to a method for preventing and for treating psychiatric disorders through the use of effective amounts of synergistic NK<sub>1</sub> receptor antagonist/GABA analog combinations.

10

15

#### BACKGROUND OF THE INVENTION

Neurokinin 1 (NK<sub>1</sub>) receptor antagonists are being developed for the treatment of a number of physiological disorders associated with an excess or imbalance of tachykinins.

A selective NK<sub>1</sub> receptor antagonist, [2-(1*H*-indol-3-yl)-1-methyl-1-(1-phenyl-ethylcarbamoyl)-ethyl]-carbamic acid benzofuran-2-ylmethyl ester, has been shown in the rat to block the maintenance of streptozocin-induced static allodynia (Field *et al.*, (1998) <u>J. Pharmacol. Exp. Ther.</u> **285**: 1226-1232).

Gabapentin (1-(aminomethyl)cyclohexane acetic acid) is an antiepileptic drug.

20

#### SUMMARY OF THE INVENTION

It has now been discovered that combination therapy with a NK<sub>1</sub> receptor antagonist and a GABA analog results in dramatic improvement in psychiatric disorders control. When administered together, the NK<sub>1</sub> receptor antagonist and the GABA analog can interact in a synergistic manner to control a psychiatric disorder. This unexpected synergy allows a reduction in the dose required of each

-2-

compound, leading to a reduction in the side effects, and enhancement of the clinical utility of the compounds.

Accordingly, this invention provides a method for preventing or treating a psychiatric disorder comprising administering to a subject in need of treatment an amount of a synergistic combination of a NK<sub>1</sub> receptor antagonist and a GABA analog.

Preferably, the psychiatric disorder treated is anxiety, panic attack, generalized anxiety disorder, social phobia or depression.

10

5

The invention also concerns the use of a composition comprising synergistic effective amounts of a NK<sub>1</sub> receptor antagonist and a GABA analog, or pharmaceutically acceptable salts thereof, for the preparation of a medicament useful for preventing or treating a psychiatric disorder.

#### BRIEF DESCRIPTION OF THE DRAWING

15

FIGURE 1. Dose response 30 min post drug for [2-(1*H*-indol-3-yl)-1-methyl-1-(1-phenyl-ethylcarbamoyl)-ethyl]-carbamic acid benzofuran-2-ylmethyl ester (CI-1021) in the isolation-induced vocalization model of anxiety in the guinea pig pup. Results are shown as mean % reduction ± SEM in the number of calls vs. baseline measurements taken before the treatment.

20

\*: P<0.05 vs vehicle group; #: P<0.05 vs their own vehicles (not included in the graph for clarity); Kruskall-Wallis test followed by Mann-Whitney test.

#### DETAILED DESCRIPTION OF THE INVENTION

25

According to this invention, a NK<sub>1</sub> receptor antagonist is used in combination with a GABA analog to treat a psychiatric disorder in patients in need of such

-3-

treatment. The compounds can be employed individually or can be combined in a single formulation, for example as a tablet, capsule, syrup, solution, as well as controlled release formulations. In a preferred embodiment, the NK<sub>1</sub> receptor antagonist and GABA analog are formulated individually and administered in the same manner that each is normally used clinically, but with reduced amounts of each.

5

10

15

20

25

30

The NK<sub>1</sub> receptor antagonists, such as capsaicin can be used herein. Specific NK<sub>1</sub> receptor antagonists that can be used herein are disclosed in U.S. Patent Nos. 3,862,114, 3,912,711, 4,472,305, 4,481,139, 4,680,283, 4,839,465, 5,102,667, 5,162,339, 5,164,372, 5,166,136, 5,232,929, 5,242,944, 5,300,648, 5,310,743, 5,338,845, 5,340,822, 5,378,803, 5,410,019, 5,411,971, 5,420,297, 5,422,354, 5,446,052, 5,451,586, 5,525,712, 5,527,811, 5,536,737, 5,541,195, 5,594,022, 5,561,113, 5,576,317, 5,604,247, 5,624,950, and 5,635,510; World Patent Application Nos. WO 90/05525, WO 91/09844, WO 91/12266, WO 92/06079, WO 92/12151, WO 92/15585, WO 92/20661, WO 92/20676, WO 92/21677, WO 92/22569, WO 93/00330, WO 93/00331, WO 93/01159, WO 93/01160, WO 93/01165, WO 93/01169, WO 93/01170, WO 93/06099, WO 93/10073, WO 93/14084, WO 93/19064, WO 93/21155, WO 94/04496, WO 94/08997, WO 94/29309, WO 95/11895, WO 95/14017; WO 97/19942, WO 97/24356; WO 97/38692, WO 98/02158, and WO 98/07694; European Patent Application Nos. 284942, 327009, 333174, 336230, 360390, 394989, 428434, 429366, 443132, 446706, 484719, 499313, 512901, 512902, 514273, 514275, 515240, 520555, 522808, 528495, 532456, and 591040. Preferred NK<sub>1</sub> receptor antagonists that can be used herein are disclosed in U.S. Patent No. 5,594,022; among these, a more preferred NK<sub>1</sub> receptor antagonist is [2-(1H-indol-3-yl)-1methyl-1-(1-phenyl-ethylcarbamoyl)-ethyll-carbamic acid benzofuran-2-ylmethyl ester.

Any GABA structural analogs can be used within the context of the invention. Specific GABA analogs that can be used herein are disclosed in U.S. Patent Nos. 4,024,175 and 5,563,175, which are incorporated herein by reference. Preferred GABA analogs include a cyclic amino acid compound of Formula I:

WO 01/24791 PCT/EP00/10084

wherein R<sup>1</sup> is hydrogen or lower alkyl and n is an integer of from 4 to 6, and the pharmaceutically acceptable salts thereof. An especially preferred embodiment utilizes a GABA analog of Formula I where R<sup>1</sup> is hydrogen and n is 5, which compound is generically known as gabapentin. Other preferred GABA analogs have Formula I wherein the cyclic ring is substituted, for example with alkyl such as methyl or ethyl. Typical of such compounds include (1-aminomethyl-3-methylcyclohexyl) acetic acid, (1-aminomethyl-3-methylcyclopentyl) acetic acid and (1-aminomethyl-3-4-dimethylcyclopentyl) acetic acid.

In another embodiment, the method for preventing and treating a psychiatric disorder of the invention utilizes as a GABA analog a compound of Formula II:

$$H_2N - C - COOH$$
 $H_2N - C - COOH$ 
 $H_2N - C - COOH$ 

or a pharmaceutically acceptable salt thereof, wherein

R<sup>1</sup> is straight or branched alkyl of from 1 to 6 carbon atoms, phenyl, or cycloalkyl of from 3 to 6 carbon atoms;

R<sup>2</sup> is hydrogen or methyl; and

5

10

15

20

R<sup>3</sup> is hydrogen, methyl, or carboxyl. Diastereoisomers and enantiomers of compounds of Formula II can be utilized in the invention. An especially preferred method of the invention employs as GABA analog a compound of Formula II where R<sup>2</sup> and R<sup>3</sup> are both hydrogen, and R<sup>1</sup> is –(CH<sub>2</sub>)<sub>0-2</sub>-*i*C<sub>4</sub>H<sub>9</sub> as an (R), (S), or (R,S) isomer. A more preferred embodiment of the invention employs, as GABA analog, 3-aminomethyl-5-methyl-hexanoic acid, and especially (S)-3-aminomethyl-5-methyl-hexanoic acid, known generically as pregabalin. Another preferred compound of Formula II is 3-(1-aminoethyl)-5-methyl-heptanoic acid.

The dosage of each agent will vary depending upon the severity of the disease or disorder, the frequency of administration, the particular agents, and combinations utilized, and other factors routinely considered by an attending medical practitioner. The NK<sub>1</sub> receptor antagonist is normally administered at a daily dose of from about 0.25 mg to about 500 mg, typically about 3 mg to about 250 mg. The GABA analog is normally administered at doses from about 5 mg to about 2500 mg per day, and more typically from about 50 mg to about 1500 mg per day. A preferred GABA analog is gabapentin, and it is employed at doses from about 100 mg to about 1000 mg per day.

10

5

A NK<sub>1</sub> receptor antagonist utilized in the present invention includes solvates, hydrates, pharmaceutically acceptable salts, and polymorphs (different crystalline lattice descriptors) of the NK<sub>1</sub> receptor antagonist.

A GABA analog utilized in the present invention includes solvates, hydrates, pharmaceutically acceptable salts, and polymorphs (different crystalline lattice descriptors) of the GABA analog.

20

25

30

15

Where it is appropriate to form a salt of the NK<sub>1</sub> receptor antagonist or of the GABA analog, the pharmaceutically acceptable salts include acetate, benzenesulfonate, benzoate, bitartrate, calcium acetate, camsylate, carbonate, citrate, edetate, edisylate, estolate, esylate, fumarate, gluceptate, gluconate, glutamate, glycoloylarsanilate, hexylresorcinate, hydrabamine, hydrobromide, hydrochloride, hydrogencarbonate, hydroxynaphthoate, iodide, isethionate, lactate, lactobionate, malate, maleate, mandelate, mesylate, methylnitrate, methylsulfate, mucate, napsylate, nitrate, pamoate (embonate), pantothenate, phosphate/diphosphate, polygalacturonate, salicylate, stearate, subacetate, succinate or hemi-succinate, sulfate or hemi-sulfate, tannate, tartrate or hemi-tartrate, theoclate, triethiodide, benzathine, chloroprocaine, choline, diethanolamine, ethylenediamine, meglumine, procaine, aluminum, ammonium, tetramethyl ammonium, calcium, lithium, magnesium, potassium, sodium, and zinc. (See also "Pharmaceutical salts" by Berge S.M. et al. (1997) J. Pharm. Sci. 66: 1-19, which is incorporated herein by reference.)

-6-

The terms "patient" and "subject" are intended to include a mammal, especially a human.

The term "psychiatric disorder" is intended to include anxiety, panic attacks, generalized anxiety disorder, social phobia and depression.

5

10

15

20

25

30

All that is required to practice the method of preventing and treating a psychiatric disorder according to the present invention is to administer a synergistic NK<sub>1</sub>-GABA analog combination in an amount that is effective to prevent or treat the disorder, i.e. to control the psychiatric disorder.

In a further aspect of the present invention, there is provided a pharmaceutical composition for the treatment or prevention of a psychiatric disorder comprising the synergistic NK<sub>1</sub> antagonist - GABA analog combination. Formulating the active components of the combination in dosage unit form with at least one pharmaceutically acceptable carrier or excipient produces pharmaceutical formulations of the composition according to the present invention. For preparing pharmaceutical formulations from the compounds used in this invention, inert, pharmaceutically acceptable carriers can be either solid or liquid.

Solid dosage forms for oral administration include capsules, tablets, pills, powders, and granules. They preferably contain 5% to about 70% of the active components of the combination. In such solid dosage forms, the active components are admixed with at least one inert customary excipient (or carrier) such as sodium citrate or dicalcium phosphate or (a) fillers or extenders, as for example, starches, lactose, sucrose, glucose, mannitol, and silicic acid, (b) binders, as for example, carboxymethylcellulose, alginates, gelatin, polyvinylpyrrolidone, sucrose, and acacia, (c) humectants, as for example, glycerol, (d) disintegrating agents, as for example, agar-agar, calcium carbonate, potato or tapioca starch, alginic acid, certain complex silicates, and sodium carbonate, (e) solution retarders, as for example paraffin, (f) absorption accelerators, as for example, quaternary ammonium compounds, (g) wetting agents, as for example, cetyl alcohol, and glycerol monostearate, (h) adsorbents, as for example, kaolin and bentonite, and (i) lubricants, as for example, talc, calcium stearate, magnesium stearate, solid polyethylene glycols, sodium lauryl sulfate, or mixtures thereof. In

PCT/EP00/10084

5

10

15

20

25

30

the case of capsules, tablets, and pills, the dosage forms may also comprise buffering agents.

Solid compositions of a similar type may also be employed as fillers in soft and hard-filled gelatin capsules using such excipients as lactose as well as high molecular weight polyethyleneglycols, and the like.

Solid dosage forms such as tablets, dragées, capsules, pills, and granules can be prepared with coatings and shells, such as enteric coatings and others well known in the art. They can also be of such composition that they release the active components in a certain part of the intestinal tract in a delayed manner. Examples of embedding compositions that can be used are polymeric substances and waxes. The active components of the combination can also be in microencapsulated form, if appropriate, with one or more of the above-mentioned excipients.

Liquid dosage forms for oral administration include pharmaceutically acceptable emulsions, solutions, suspensions, syrups, and elixirs. In addition to the active components of the combination, the liquid dosage forms may contain inert diluents commonly used in the art, such as water or other solvents, solubilizing agents and emulsifiers, as for example, ethyl alcohol, isopropyl alcohol, ethyl carbonate, ethyl acetate, benzyl alcohol, and the like.

Suspensions, in addition to the active components, may contain suspending agents, as for example, ethoxylated isostearyl alcohols, polyoxyethylene sorbitol and sorbitan esters, microcrystalline cellulose, aluminum metahydroxide, bentonite, agar-agar and tragacanth, or mixtures of these substances, and the like.

Compositions for rectal administrations are preferably suppositories which can be prepared by mixing the active components of the combination of the present invention with suitable non-irritating excipients or carriers such as cocoa butter, polyethyleneglycol or a suppository wax, which are solid at ordinary temperatures but liquid at body temperature, and therefore melt in the rectum and release the active components of the combination.

Compositions suitable for parenteral injection may comprise physiologically acceptable sterile aqueous or nonaqueous solutions, dispersions, suspensions or emulsions of the active components of the combination, and also sterile powders for reconstitution into sterile injectable solutions or dispersions. Examples of suitable liquid carriers, diluents, solvents or vehicles include water, ethanol, polyols (propyleneglycol, polyethyleneglycol, glycerol, and the like), and suitable mixtures thereof.

These compositions may also contain adjuvants such as preserving, wetting, emulsifying, and dispersing agents. Various antibacterial and antifungal agents, for example, parabens, chlorobutanol, phenol, sorbic acid, and the like can ensure prevention of the action of microorganisms. It may also be desirable to include isotonic agents, for example sugars, sodium chloride, and the like.

5

10

15

20

25

30

Preferably the pharmaceutical preparation is in unit dosage form. In such form, the preparation is divided into unit doses containing appropriate quantities of the active components of the combination. The unit dosage form can be a packaged preparation, the package containing discrete quantities of the preparation, for example, packeted tablets, capsules, and powders in vials or ampoules. The unit dosage form can also be a capsule, cachet, or tablet itself, or it can be the appropriate number of any of these packaged forms. Some examples of dosage unit forms are tablets, capsules, pills, powders, suppositories, aqueous and nonaqueous oral solutions and suspensions, and parenteral solutions packaged in containers containing either one or some larger number of dosage units and capable of being subdivided into individual doses.

The percentage of the active components in the foregoing compositions can be varied within wide limits, but for practical purposes it is preferably present in a concentration of at least 10 % in a solid composition and at least 2 % in a primary liquid composition. The most satisfactory compositions are those in which a much higher proportion of the active components is present, for example, from 10 % to 90 % by weight.

Routes of administration of the active components of the combination or their respective salts are parenteral or, preferably, oral. For example, a useful oral dosage is between 20 and 800 mg, expressed as the mass of the GABA analog, and a useful intravenous dose is between 5 and 50 mg. The dosage is within the dosing range used in treatment of a psychiatric disorder, or as would be dictated by the needs of the patient as described by the physician.

-9-

The invention provides compositions of a NK<sub>1</sub> receptor antagonist and a GABA analog, and a method of treating a psychiatric disorder comprising administering to a patient in need of treatment an amount of a NK<sub>1</sub> receptor antagonist and an effective amount of a GABA analogue effective in this psychiatric disorder. Any NK<sub>1</sub> receptor antagonist can be combined with any GABA analog according to this invention. Preferred GABA analogs to be employed are the compounds of Formula I and II, especially gabapentin and pregabalin. Preferred NK<sub>1</sub> receptor antagonists to be employed in the compositions include (2-methoxy-benzyl)-((2S,3S)-2-phenyl-piperidin-3-yl)-amine, and [2-(1*H*-indol-3-yl)-1-methyl-1-(1-phenyl-ethylcarbamoyl)-ethyl]-carbamic acid benzofuran-2-ylmethyl ester.

When the GABA analog and the NK<sub>1</sub> receptor antagonist are formulated together, the composition contains about 1 to about 1000 parts by weight of GABA analog, and about 1000 to about 1 part by weight NK<sub>1</sub> receptor antagonist. Preferred ranges for the ratio of the two active principles, expressed as parts by weight of the GABA analog relative to parts of the NK<sub>1</sub> receptor antagonist, are 50:1 to 1:1. A most preferred range for the ratio of the two active principles is 20:1. For example a typical composition of gabapentin and [2-(1*H*-indol-3-yl)-1-methyl-1-(1-phenyl-ethylcarbamoyl)-ethyl]-carbamic acid benzofuran-2-ylmethyl ester contains about 400 mg of gabapentin and about 20 mg of the NK<sub>1</sub> receptor antagonist. Such combination is administered to an adult patient about twice a day to achieve a synergistic control of a psychiatric disorder. The compositions may contain common pharmaceutical excipients such as those described above.

25

5

10

15

20

The advantages of using the combination of a NK<sub>1</sub> receptor antagonist and a GABA analog of the instant invention include the selective activity of the combination on a psychiatric disorder, the relatively nontoxic nature of the combination, the ease of preparation, the fact that the combination is well tolerated, and the ease of *i.v.* and, in particular, oral administration of the combination.

WO 01/24791 PCT/EP00/10084

-10-

The ability of synergistic NK<sub>1</sub>-receptor antagonist-GABA analog combinations to prevent or treat a psychiatric disorder has been established in several animal models.

5

15

20

25

#### **EXAMPLE 1**

# Synergistic interaction between a NK<sub>1</sub>-receptor antagonist and a GABA analog in isolation-induced vocalizations of guinea-pig pups

#### 10 Methods:

Distress vocalizations of guinea-pig pups (2-14 days old) are quantified in a 5-min isolation period, after which they are reunited with their mothers and littermates. The test cage consists of a sound-attenuating box with a white interior and white illumination. The vocalizations are recorded by means of a microphone and a digital audio tape (DAT) recorder. Pups are first selected using the criterion of emitting a minimum of 500 vocalizations after three pre-tests on three consecutive days. On the day of the test, pups are submitted to a pre-treatment (baseline) measurement. Each pup then receives oral administration of test compounds and is returned to the home cage for 30 min before maternal separation.

Different ratios of combinations of doses are administered to groups of animals (n= 9-10 per group). A minimum of 3 total doses for each ratio of combination is examined. The difference in the number of calls emitted before and after treatment is counted using Spike2 software; percentage of reduction in the number of calls is analyzed using a Kruskall-Wallis test followed by Mann-Whitney test between vehicle and different treatments. For example, the oral administration of [2-(1*H*-indol-3-yl)-1-methyl-1-(1-phenyl-ethylcarbamoyl)-ethyl]-carbamic acid benzo-furan-2-ylmethyl ester (0.01-10.0 mg/kg *p.o.*, in Gelucire<sup>TM</sup> vehicle 30 min before the test) dose-dependently blocked vocalizations with a MED of 1.0 mg/kg (Figure 6). With different ratios of combinations of doses of a NK<sub>1</sub> receptor antagonist and a GABA analog, a synergistic interaction is considered when a significant shift to the left from the additive line is achieved.

5

10

-11-

The following examples illustrate typical formulations provided by the invention.

EXAMPLE 2
Tablet Formulation

Ingredient	Amount (mg)
[2-(1H-indol-3-yl)-1-methyl-1-(1-phenyl-ethylcarbamoyl)-ethyl]-	5
carbamic acid benzofuran-2-ylmethyl ester [R-(R*,S*)]	
Gabapentin	100
Lactose	95
Corn starch (for mix)	20
Corn starch (paste)	20
Magnesium stearate (1%)	10
Total	250

The benzofuranyl-methyl ester, gabapentin, lactose, and corn starch (for mix) are blended to uniformity. The corn starch (for paste) is suspended in 400 mL of water and heated with stirring to form a paste. The paste is used to granulate the mixed powders. The wet granules are passed through a No. 8 hand screen and dried. The dry granules are lubricated with the 1 % magnesium stearate and pressed into a tablet. Such tablets can be administered to a human from one to four times a day for treatment of a psychiatric disorder.

15 EXAMPLE 3

Preparation for Oral Solution

Ingredient	Amount
[2-(1H-indol-3-yl)-1-methyl-1-(1-phenyl-ethylcarbamoyl)-ethyl]-	20 mg
carbamic acid benzofuran-2-ylmethyl ester [R-(R*,S*)]	
Pregabalin	400 mg

-12-

Sorbitol solution (70% N.F.)	40 mL
Sodium benzoate	20 mg
Saccharin	5 mg
Red dye	10 mg
Cherry flavor	20 mg
Distilled water q.s.	100 mL

The sorbitol solution is added to 40 mL of distilled water, and pregabalin and the benzofuranylmethyl ester are dissolved therein. The saccharin, sodium benzoate, flavor, and dye are added and dissolved. The volume is adjusted to 100 mL with distilled water.

# EXAMPLE 4 Parenteral Solution

In a solution of 700 mL of propylene glycol and 200 mL of water for injection is added 0.5 g of [2-(1*H*-indol-3-yl)-1-methyl-1-(1-phenyl-ethylcarbamoyl)-ethyl]-carbamic acid benzofuran-2-ylmethyl ester [R-(R\*,S\*)] and 10 g of pregabalin. The pH is adjusted to 6.5, and the volume is made up to 1000 mL with water for injection. The formulation is sterilized, filled into 5.0 mL ampoules each containing 2.0 mL, and sealed under nitrogen.

10

WO 01/24791 PCT/EP00/10084

#### -13-

#### **CLAIMS**

#### What is claimed is:

- 1. A method for preventing or for treating a psychiatric disorder comprising administering to a patient in need of treatment an effective amount of a synergistic combination of a NK<sub>1</sub> receptor antagonist and a GABA analog.
- 2. A method of Claim 1 wherein the ratio of the GABA analog relative to the NK<sub>1</sub> receptor antagonist is from 50:1 to 1:1 expressed as parts by weight.
- 10 3. A method of Claim 1 wherein the ratio of the GABA analog relative to the NK<sub>1</sub> receptor antagonist is 20:1 expressed as parts by weight.
  - 4. A method according to Claim 1 wherein the NK<sub>1</sub> receptor antagonist is [2-(1*H*-indol-3-yl)-1-methyl-1-(1-phenyl-ethylcarbamoyl)-ethyl]-carbamic acid benzofuran-2-ylmethyl ester [R-(R\*,S\*)].
- 15 5. A method according to Claim 1 wherein the GABA analog is gabapentin.
  - 6. A method according to Claim 1 wherein the GABA analog is pregabalin.
  - 7. A method according to Claim 1 employing [2-(1*H*-indol-3-yl)-1-methyl-1-(1-phenyl-ethylcarbamoyl)-ethyl]-carbamic acid benzofuran-2-ylmethyl ester [R-(R\*,S\*)] and gabapentin.
- 8. A method according to Claim 1 employing [2-(1*H*-indol-3-yl)-1-methyl-1-(1-phenyl-ethylcarbamoyl)-ethyl]-carbamic acid benzofuran-2-ylmethyl ester [R-(R\*,S\*)] and pregabalin.

-14-

- 9. A method according to any one of claims 1 to 8 wherein the disorder treated is selected from anxiety, panic attacks, generalized anxiety disorder, social phobia or depression.
- 10. The use of a composition comprising synergistic amounts of a NK<sub>1</sub> receptor antagonist and a GABA analog effective in a psychiatric disorder, or pharmaceutically acceptable salts thereof, for the preparation of a medicament useful for preventing or treating a psychiatric disorder.
- Use according to claim 10 characterized in that a psychiatric disorder is selected from anxiety, panic attacks, generalized anxiety disorder, social phobia and depression.

#### (12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

# (19) World Intellectual Property Organization International Bureau



### 

## (43) International Publication Date 12 April 2001 (12.04.2001)

#### PCT

# (10) International Publication Number WO 01/24791 A1

- (51) International Patent Classification<sup>7</sup>: A61K 31/195, 31/404, 31/40, A61P 25/18, 25/24, A61K 45/06 // (A61K 31/40, 31:195)
- (21) International Application Number: PCT/EP00/10084
- (22) International Filing Date: 9 October 2000 (09.10.2000)
- (25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

60/158,271

7 October 1999 (07.10.1999) U

- (71) Applicant (for all designated States except US): WARNER-LAMBERT COMPANY [US/US]; 201 Tabor Road, Morris Plains, NJ 07950 (US).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): HUGHES, John [GB/GB]; The Mill House, Mill Lane, Swaffham Pulbeck, Cambridgeshire CB5 ONF (GB). SINGH, Lakhbir [GB/GB]; 4 Low Road, Queen Adelaide, Ely, Cambridgeshire CB7 3SP (GB).
- (74) Agent: DUFRESNE, Guillaume; Warner-Lambert Company, Pfizer Global Research & Development, Fresnes Laboratories, 3-9, rue de la Loge, Boîte Postale 100, F-94265 Fresnes Cedex (FR).

- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

#### Published:

- With international search report.
- Before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments.

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

1/24791 A1

(54) Title: USE OF SYNERGISTIC COMBINATIONS OF A  $NK_1$  RECEPTOR ANTAGONIST AND A GABA ANALOG IN PSYCHIATRIC DISORDERS

(57) Abstract: The present invention provides methods of treatment using synergistic combinations of a NK<sub>1</sub> receptor antagonist and a GABA analog, and pharmaceutical compositions and products containing the NK<sub>1</sub> receptor antagonist and GABA analog. The present invention provides the use of a NK<sub>1</sub> receptor antagonist and a GABA analog for the manufacture of a medicament for the treatment or prevention of psychiatric disorders.

PCT/EP00/10084




Figure 1:

Aug-07-2002 06:14pm From-

PATENT PFIZER ANN ARBOR MI

7346222928

T-105 P 005/010 F-105

Express Mail Label No.

Page 1 of 3

Docket No. A0000005/2-01-MG

### **Declaration and Power of Attorney For Patent Application**

#### **English Language Declaration**

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name,

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

USE OF SYNERGISTIC COMBINATIONS OF AN NK1 RECEPTOR ANTAGONIST AND A GABA ANALOG IN PSYCHIATRIC DISORDERS

the :	specification of which	1		
(che	eck one)			
$\boxtimes$	is attached hereto.			
	was filed on Application Number		1 States Application No.	or PCT International
	and was amended o	<del></del>	(if applicable)	
the lac to b	claims, as amended le eknowledge the duty to be material to paterial ereby claim foreign pri any foreign application plication which design	by any amendment rere o disclose to the United bility as defined in Title ionity benefits under Title n(s) for patent or invento sated at least one country	I States Patent and Trademark Office 37, Code of Federal Regulations, Some 35, United States Code, Section of sentificate, or Section 365(a) of my other than the United States, listen application for patent or inventor	ce all information known to me Section 1.55. 119(a)-d) or Section 365(b) i any PCT International ed below and have also 's certificate or PCT
Inte	ernational application or Foreign Application	having a filing date berg	ore that of the application on which	Priority Not Claimed
РC	T/EP00/10084	FRANCE (Country)	09 OCTOBER 2000 (Day/Month/Year Filed)	_ □
(Nu	umber)	(Country)	(Day/Month/Year Filed)	_ 🗖
(NL	umber)	(Country)	(Day/Month/Year Filed)	🗆

Form PTQ-\$B-01 (9-95) (Modified)

POZ/REVO2

Patent and Trademark Office-U.S. DEPARTMENT OF COMMERCE

. Aug-07-2002 06:14pm From- PATENT PFIZER ANN ARBOR MI 7346222928 T-105 P 006/010 F-105

Page 2 of 3

60/158,271	10/7/1999	
Application Serial No.)	(Filing Date)	
Application Serial No.)	(Filing Date)	`
Application Senal No.)	(Filing Date)	
nternational application design feach of the claims of this ap n the manner provided by the l chich is material to patentabilit	ating the United States of Americ plication is not disclosed in the pri first paragraph of 35 U.S.C. 112.1	ites application(s), or 365(c) of any PCT a, listed below and, insofar as the subject mattro or United States or PCT International application acknowledge the duty to disclose information in became available between the filing date of the of this application.
(Application Serial No.)	(Filing Date)	(Status) (patented, pending, abandoned)
(Application Serial No.)	(Filing Date)	(Status) (patented, pending, abandoned)
(Application Serial No.)	(Filing Date)	(Status) (patented, pending, abandoned)
hereby declare that all statem	wed to be true; and further that the tithe like so made are punishable	wledge are true and that all statements made or ese statements were made with the knowledge by tine or imprisonment, or both, under 18 se the validity of the application or any patent
rat willful false statements and		
nat willful false statements and J.S.C. 1001 and that such will		
nat willful false statements and J.S.C. 1001 and that such will		
nat willful false statements and J.S.C. 1001 and that such will		

. Aug-07-2002 06:15pm From-

PATENT PFIZER ANN ARBOR MI

7346222928

T-105 P 007/010 F-105

Page 3 of 3

POWER OF ATTORINEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith. (list name and registration number) 42,640 Suzanne M. Harvey Charles W. Ashbrook 27,610 David R. Kurlandsky 41.505 Eric Baude 47,413 40,703 Heidi M. Berven 48.951 Darryl C. Little J. Trevor Lumb Karen DeBenedictis 32,977 28,567 36,126 Claude F. Purchase, Jr. 47,871 Steven R. Eck Francis J. Timey 33,069 Evan J. Federman 37,060-32,071 Linda Vag Mehdi Ganieizadeh 47.585 -Rosanne Goodman 32,534\_ Send Correspondence to: Mehdi Ganjeizadeh Warner-Lambert Company 2800 Plymouth Road Ann Arbor, Michigan 48105 Direct Telephone Calls to: (name and telephone number) Mehdi Ganjeizadeh, (734) 622-3831 Full name of sole or first inventor HUGHES, John Date Sale or first inventor signature Cambridgeshire CB5 ONF, United Kingdom Calzenship British Post Office Address

KOO

Full name of sole or second inventor	
SINGH, Lakhbir	Date
Sole or second inventor signature	Date
Residence	
Cambridgeshire CB7 4UQ, United Kingdom	
Citizenship	
British	
Post Office Address	
4 Low Road, Queen Adelaide Ely.	

Form PTO-SB-01 (9-95) (Modified)

PO2/REV02

Patent and Trademark Office-U.S. DEPARTMENT OF COMMERCE

The Mill House, Mill Lane, Swaffham Bulbeck

Cambridgeshire CB5 0NF, United Kingdom

. Aug-07-2002 06:15pm

From-

PATENT PFIZER ANN ARBOR MI

7346222928

T-105 P 008/010 F-105

Page 3 of 3

POWER OF ATTORINEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Petent and Trademark Office connected therewith. (list name and registration number) Suzanne M. Harvey 42,640 Charles W. Ashbrook 27,610 41,505 Eric Baude 47,413 David R. Kurlandsky 40,703 Darryl C. Little 48,951 Heidi M. Berven 28,567 32,977 J. Trevor Lumb Karen DeBenedictis 47,871 Claude F. Purchase, Jr. 36,126 Steven R. Eck 33,069 Francis J. Tinney Evan J. Federman 37,060 32,071 47,585 Linda Vag Mehdi Ganjeizadeh 32,534 Rosanne Goodman Send Correspondence to: Mehdi Ganjeizadeh Warner-Lambert Company 2800 Plymouth Road Ann Arbor, Michigan 48105 Direct Telephone Calls to: (name and telephone number) Mehdi Ganjeizadeh. (734) 622-3831 Full name of sole or first inventor **HUGHES**, John Date Sole or first inventor signature Cambridgeshire CB5 0NF, United Kingdom Citizenship British Post Office Address The Mill House, Mill Lane, Swaffham Bulbeck Cambridgeshire CB5 0NF, United Kingdom Full name of sole or second inventor SINGH, Lakhbir Date Sole or second inventor signature 1/4/02 Cambridgeshire CB7 4UQ, United Kingdom Col Citizenship British Post Office Address 4 Low Road, Queen Adelaide Ely, Cambridgeshire CB7 4UQ, United Kingdom

Form PTO-SB-01 (9-95) (Modified)

POZ/REV02

Patent and Trademark Office-U.S. DEPARTMENT OF COMMERCE